

Chemical Substance Control Level Classification Table (Ver. 13)

Use of Level 1 Prohibited Substances: Table 1-1

Chemical substances whose use is prohibited under domestic or international laws and regulations, or per customer requests

Threshold Value: Table 1-1

Concentration level that is guaranteed in materials delivered by suppliers to USHIO as well as USHIO products shipped

Control Value: Table 1-2

The content concentration that cannot be exceeded unless the chemical substance is intentionally used or mixed in as well as the concentration level that needs to be controlled by USHIO and its suppliers

When the content concentration as impurities of prohibited substances exceeds the control value, USHIO will request reanalysis, an explanation of the reason and reduction in content concentration to a level below the control value.

Level 2 Controlled Substances: Table 2

Chemical substances whose use is controlled and which are not prohibited or restricted at the present time

Additional clause

1. There may be cases when the value in the specifications, drawings, etc., exceeds the reference value specified in this standard. In such cases, the values specified in the specifications, drawings, etc., take precedence.
2. This standard is based on IEC62474. USHIO has added chemical substances and thresholds independently selected by the company based on social conditions such as regulations by international treaties and customer requests.
3. REACH Substances of Very High Concern (SVHC) must be reported

Revision History

No.	Date of	Details of revisions
Ver. 6	Apr. 2012	<p><Level 1 Prohibited Substances></p> <ul style="list-style-type: none"> - In accordance with revised REACH Annex XVII Restriction, 3 additional substances (No. 20-22) were included in Table 1-1. Because TBTO, TBTs and TPTs (former Version 10 and 16) are types of Tri-substituted organostannic compounds in No. 20, they were included as such. - Reflected the revision details of EU RoHS in the exempt use of Table 1-1 No. 3: Lead - Revised the threshold level of Table 1-1 No. 1: Cadmium
Ver. 7	Dec. 2014	<p><Level 1 Prohibited Substances> (Table 1-1)</p> <ul style="list-style-type: none"> - Chemical substances added <ul style="list-style-type: none"> 1-23. Perfluorooctanoic acid (PFOA) (from Level 2 to Level 1); 1-24. Tris phosphates (TCEP, TCPP, TDCPP) (from Level 3 to Level 1); 1-25. Phthalates (DEHP, DBP, BBP, DIBP) (from Level 3 to Level 1); 1-26. Hexabromocyclododecane (HBCDD) (from Level 3 to Level 1) - Changes <ul style="list-style-type: none"> 1-8. Scope of application 2 added to 1-8. Polychlorinated biphenyls (PCBs). 1-14. Exempted items (paint and ink) added to 1-14. Vinyl chloride polymer (PVC). <p><Level 2 Restricted Substances> (Table 2)</p> <p>PFOA is deleted because it was added to the Level 1 prohibited substances.</p> <p><Level 3 Restricted Substances> (Table 3)</p> <ul style="list-style-type: none"> - Chemical substances added <ul style="list-style-type: none"> 3-29. Mirex, 3-30. Polycyclic aromatic hydrocarbons (PAH), 3-31. Chlorinated flame retardants - Chemical substances deleted <ul style="list-style-type: none"> Chemical substances added to Level 1 have been deleted.
Ver. 8	Apr. 2016	<p><Level 1 Prohibited Substances> (Table 1-1)</p> <ul style="list-style-type: none"> - Chemical substances added <ul style="list-style-type: none"> 1-27. Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST); 1-28. Polycyclic aromatic hydrocarbons (PAH) (from Level 3 to Level 1); 1-29. Red phosphorus - Changes <ul style="list-style-type: none"> 1-9. Chlorine number changed from 3 to 2 for polychlorinated naphthalene. - Expired exempted items deleted <ul style="list-style-type: none"> Expired exempted items 1-3. lead and its compounds, 1-15. PFOS, POFAC and 1-21. DBT were deleted <p><Level 3 Restricted Substances> (Table 3)</p> <p>3-31. Hexachlorobutadiene added</p>
Ver. 9	Dec. 2019	<p><Level 1 Prohibited Substances> (Table 1-1)</p> <ul style="list-style-type: none"> - Change <ul style="list-style-type: none"> Changed the allowable concentration of “1-23. Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA”. - Deleted <ul style="list-style-type: none"> Deleted “1-27. Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)”. Accordingly, the number of “1-28.PAH” is changed to 1-27. <p><Level 3 Restricted Substances> (Table 3)</p> <ul style="list-style-type: none"> - Add <ul style="list-style-type: none"> “1-27. Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)” deleted at level 1 add to 3-32.

No.	Date of	Details of revisions
Ver.10	Dec. 2021	<p><Level 2 Controlled Substances ></p> <ul style="list-style-type: none"> - Change Changed Restricted Substances to Controlled Substances. Delete Level 3. <p><Level 1 Prohibited Substances> (Table 1-1)</p> <ul style="list-style-type: none"> - Add 1-5. "Polybrominate biphenate bipheneyls" Added "US TSCA PBT Regulations" to "Decabromobiphenyls of Polybrominated Biphenyls (PBBs)" - Change 1-9. "Polychlorinate naphthalene" Changed "Scheduled to be added to Class 1 Specified Chemical Substances of the Chemical Substances Control Law" to "Class 1 Specified Chemical Substances of the Chemical Substances Control Law" - Add 1-23. "Perfluorooctanoic acid (PFOA) and its salts and PFOA-related substances" Added "intentional addition" to the threshold value (according to the Chemical Substances Control Law) - Deleted 1-23. "Perfluorooctanoic acid (PFOA) and its salts and PFOA-related substances" Deleted "Norwegian Product Regulations". Norway is a member of the EEA (European Economic Area). Because REACH is applied. - Change 1-26. "Hexabromocyclododecane (HBCDD)" Changed "when the content exceeds 1000ppm" to "when the content exceeds 100ppm in article." - Add 1-28. Added "Isopropyl Phenyl Phosphate PIP (3: 1)". According to US TSCA PBT rules. 1-29. Added "Pentachlorothiophenol (PCTP)". According to US TSCA PBT rules. 1-30. Added "Hexachlorobutadiene (HCBD)". According to US TSCA PBT rules. 1-31. Added "2,4,6-Tri-tert-Butylphenol". According to US TSCA PBT rules. 1-32. Added "C9-C14 perfluorocarboxylic acids (PFCAs) and their salts and related substances". According to the revision of Annex XVII (EU 2021/1297) of EU-REACH (EC No.1907 / 2006) <p><Level 2 controlled substance></p> <ul style="list-style-type: none"> - Add 2-33. Added "Decrolan Plus". According to the POPs Convention.

Ver.11	Mar. 2023	<ul style="list-style-type: none"> - Change <ul style="list-style-type: none"> Additional clause No2 : JIG→IEC62474 Additional clause No3 : Changed to “REACH Substances of Very High Concern (SVHC) must be reported.” - Add <ul style="list-style-type: none"> 1-33. Added “Perfluorohexanesul phonic acid (PFHxS), its salts and PFHxS-related substances”. According to the POPs Convention. 1-34. Added “Mineral oil aromatic Hydrocarbons (MOAH) ” and “Mineral Oil Saturated Hydrocarbons (MOSH) comprising 16 to 35 aromatic rings”. According to French Circular Economy Law. 2-33. Added “Medium chain chlorinated paraffins (MCCP)”. According to the POPs Convention under discussion. 2-34. Added “2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert pentylphenol (UV-328)”. According to the POPs Convention under discussion. 2-35. Added “Per- and polyfluoroalkyl substances (PFAS)”. According to LD1503 Maine, U.S.A. 2-36. Added “Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances”. According to EU REACH under discussion. 2-37. Added “Long-chain perfluoroalkyl carboxylate (LCPFACs) and perfluoroalkyl sulfonate chemicals”. According to US TSCA under discussion. -Delete <ul style="list-style-type: none"> 2-31. Move to 1-30 prohibited substance.
Ver.12	Feb. 2024	<ul style="list-style-type: none"> - Add <ul style="list-style-type: none"> 1-35. Added “DECHLORANE PLUS”. According to the POPs Convention. 1-36. Added “2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)”. According to the POPs Convention. - Delete <ul style="list-style-type: none"> 2-32 “Dechlorane Plus”. Move to 1-35. 2-34 “2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)”. Move to 1-36 2-36 “Perfluorohexanoic acid (PFHxA), its salts and PFHxA-related substances”. Move to 1-33 with Ver11.
Ver.13	Feb. 2026	<ul style="list-style-type: none"> - Prohibited Substances Added <ul style="list-style-type: none"> 1-37. MCCP Added. Pursuant to the POPs Convention. 1-38. LC-PFCA Added. Pursuant to the POPs Convention. - Deleted <ul style="list-style-type: none"> 2-32. MCCP Moved to Prohibited Substances 1-37. Item numbers for controlled substances from 2-32 onward were moved up.

Table 1-1: Use of Level 1 Prohibited Substances

1-1. Cadmium and Cadmium Compounds			
Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Cadmium	7440-43-9	Colorants, anti-corrosion surface treatment, batteries, contacts, optical materials, PVC stabilizer	
Cadmium oxide	1306-19-0		
Cadmium sulfide	1306-23-6		
Cadmium chloride	10108-64-2		
Cadmium sulfate	10124-36-4		
Scope of application—Not to be used if applicable to any of the following:			
1. Intentionally added			
2. Content that exceeds 100ppm as impurities			
3. Inclusion of more than 75 ppm when used for surface treatment, coloring agent, or plastic stabilizer in product not subject to the RoHS Directive.			
4. Use of cadmium for packaging materials in which the total content of cadmium, mercury, hexavalent chromium and lead exceeds 100ppm			
<Exempted items>			
Can be used if applicable to any of the following:			
Please verify exemption list.			
See details for chemSHERPA ; https://chemsherpa.net/english/tool			
Download the latest chemSHERPA tool and check the " chemSHERPA Application List_EN " in the folder.			
Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006			
1-2. Hexavalent Compounds			
Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Sodium dichromate	10588-01-9	Colorants, coating materials, inks, catalysts, anti-corrosion surface treatment, dyes, anti-corrosion	
Chromium trioxide	1333-82-0		
Calcium chromate	13765-19-0		
Lead (II) chromate (*S)	7758-97-6		
Potassium bichromate	7778-50-9		
Potassium chromate	7789-00-6		
Sodium dichromate, dihydrate (*S)	7789-12-0		
Scope of application—Not to be used if applicable to any of the following:			
1. Intentionally added			
2. Content that exceeds 1000ppm as impurities			
3. Use of hexavalent chromium for packaging materials in which the total content of cadmium, mercury, hexavalent chromium and lead exceeds 100ppm			
<Exempted items>			
Can be used if applicable to any of the following:			
Please verify exemption list.			
See details for chemSHERPA ; https://chemsherpa.net/english/tool			
Download the latest chemSHERPA tool and check the " chemSHERPA Application List_EN " in the folder.			
Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006			

1-3. Lead and Lead Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Lead	7439-92-1	
Lead (II) carbonate	598-63-0	
Lead (IV) oxide	1309-60-0	
Lead (II, IV) oxide	1314-41-6	
Lead (II) sulfide	1314-87-0	
Lead (II) oxide	1317-36-8	
Lead (II) carbonate basic	1319-46-6	
Lead hydroxidcarbonate	1344-36-1	
Lead (II) sulfate	7446-14-2	
Lead (II) phosphate	7446-27-7	
Lead (II) chromate	7758-97-6	
Lead (II) titanate	12060-00-3	
Lead sulfate	15739-80-7	
Tribasic lead sulphate	12202-17-4	
Lead stearate	1072-35-1	
Dibasic lead stearate	56189-09-4	
Lead hydrogen arsenate (*S)	7784-40-9	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added
2. Content that exceeds 300ppm as impurities
[Application area and material]
*Plastic resin (including rubber, films)
*Coating material, ink, colorant, dye
*PVC resin coating in PVC electrical cable
3. Content that exceeds 1000ppm as impurities
[Application area and material]
*Area and material other than 2 above
4. Use of lead for packaging materials in which the total content of cadmium, mercury, hexavalent chromium and lead exceeds 100ppm
5. Lead content exceeds 0.4% in terms of the cumulative weight for use in batteries and accumulator batteries

<Exempted items>

Can be used if applicable to any of the following:

Please verify exemption list.

See details for chemSHERPA ; <https://chemsherpa.net/english/tool>

Download the latest chemSHERPA tool and check the " chemSHERPA Application List_EN " in the folder.

Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006

1-4. Mercury and Mercury Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Mercury	7439-97-6	Batteries, fluorescent materials, contacts, thermometers, colorants
Mercury chloride (II)	7487-94-7	
Scope of application—Not to be used if applicable to any of the following:		
1. Intentionally added 2. Content that exceeds 1000ppm as impurities 3. Use of mercury for packaging materials in which the total content of cadmium, mercury, hexavalent chromium and lead exceeds 100ppm 4. Mercury used in batteries exceeding 5ppm and mercury used in button cell batteries exceeding 2%		
<Exempted items> Can be used if applicable to any of the following: Please verify exemption list. See details for chemSHERPA ; https://chemsherpa.net/english/tool Download the latest chemSHERPA tool and check the " chemSHERPA Application List_EN " in the folder.		
Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006		

1-5. Polybrominated Biphenyls (PBBs)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Decabromobiphenyl	13654-09-6	Flame retardant
3,3',4,4' - bromobiphenyl	77102-82-0	
2,2',4,5,5' - bromobiphenyl	67888-96-4	
Scope of application—Not to be used if applicable to any of the following:		
1. Intentionally added 2. Content that exceeds 1000ppm as impurities		
Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006		

1-6. Polybrominated Diphenyl ethers (PBDEs)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Pentabromodiphenyl ether	32534-81-9	Flame retardant
Octabromodiphenyl ether	32536-52-0	
Decabromodiphenyl ether (※)	1163-19-5	
Scope of application—Not to be used if applicable to any of the following:		
1. Intentionally added 2. Content that exceeds 1000ppm as impurities		
Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006 TSCA PBT Rules(US)		

1-7. Asbestos

Substance name	CAS No.	Application or use
Asbestos	1332-21-4	Electric insulator, filler, adiabatic material, friction material
Actinolite	77536-66-4	
Amosite	12172-73-5	
Anthophyllite	77536-67-5	
Chrysotile	12001-29-5	
Crocidolite	12001-28-4	
Tremolite	77536-68-6	
Scope of application—Not to be used if applicable to any of the following:		
1. Intentionally added		

1-6. Polybrominated Diphenyl ethers (PBDEs)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Pentabromodiphenyl ether	32534-81-9	Flame retardant
Octabromodiphenyl ether	32536-52-0	
Decabromodiphenyl ether	1163-19-5	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added
2. Content that exceeds 1000ppm as impurities

Reference laws and regulations: RoHS Directive 2011/65/EU, REACH regulation No. 1907/2006

1-7. Asbestos

Substance name	CAS No.	Application or use
Asbestos	1332-21-4	Electric insulator, filler, adiabatic material, friction material
Actinolite	77536-66-4	
Amosite	12172-73-5	
Anthophyllite	77536-67-5	
Chrysotile	12001-29-5	
Crocidolite	12001-28-4	
Tremolite	77536-68-6	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added

1-8. Polychlorinated Biphenyls (PCBs)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
PCB (Polychlorinated Biphenyls)	1336-36-3	Insulating oil, lubricant, electrical insulating medium, plasticizers, coating solvent, heating medium
Pentachlorobiphenyls	25429-29-2	
PCT (Polychlorinated terphenyls)	61788-33-8	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added
2. In such cases it is unintentionally produced in such manufacturing process, if there is a content in excess of material per 50ppm.

1-9. Polychloronaphthalenes (more than 2 chlorine atoms)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Polychloronaphthalenes (more than 2 chlorine atoms)	70776-03-3	Lubricant, coating material, plastic stabilizer, electrical insulating medium, flame retardant
Pentachloronaphthalene	1321-64-8	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added

Reference laws and regulations: POPs Regulation (Stockholm Convention on Persistent Organic Pollutants); to be added to Class I Specified Chemical Substances of the Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (October 2016)

1-10. Shortchain Chlorinated Paraffins

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Chlorinated Paraffins (C10-13) (*S)	85535-84-8	Flame retardant, PVC plasticizer

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added

However, polyvinyl chloride (PVC) should be separately treated as a substance to be controlled and not included in chlorinated paraffin.

1-11. Azocolorants and Azodyes (Certain Amines)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Azocolorants and azodyes forming certain amines	-	Pigments, dyes, coloring agents, condenser mold
biphenyl-4-ylamine	92-67-1	
Benzidine	92-87-5	
4-chloro-o-toluidine	95-69-2	
2-naphthylamine	91-59-8	
4,4'- Diaminodiphenylmethane (*S)	101-77-9	

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added

< Exempted items >

Can be used if applicable to any of the following:

*Use in places where the substance does not come into direct contact with the skin or mouth for an extended period of time
(e.g. packaging materials)

1-12. Ozone Depleting Substances

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Substances specified under annexes of the Montreal Protocol		Cooling medium, flame extinguisher, foaming agent, detergent, fumigation

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added

< Exempted items >

Can be used if applicable to any of the following:

*Use of methyl bromide in halogen lamps, as defined in Annex E, Group I

1-13. Formaldehyde

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Formaldehyde (monomer); formalin	50-00-0	Antiseptics
<p>Scope of application—Not to be used if applicable to any of the following:</p> <ol style="list-style-type: none"> 1. Plastic resin or fiber content that exceeds 75ppm 2. Wood products such as fiber board or laminated wood in which the substance exceeds 0.1ppm according to the chamber method 		

1-14. Polyvinyl Chloride (PVC)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Polyvinyl chloride (PVC)	9002-86-2	Vinyl chloride resin, packaging materials, insulating materials

Scope of application—Not to be used if applicable to any of the following:

1. Intentionally added in packaging materials (bag, tape, bonding band, etc.), cases, heat shrink tubing

<Exempted items>

Can be used if applicable to any of the following:

- * Except for the above-mentioned cases, use of such items as paints, inks, rod coverings and insulating caps (condensers, switches, fuses, etc.) are to be controlled. (Partially added in Ver. 7)

1-15. Perfluorooctane sulfonate (PFOS) and its salt, and Perfluorooctane sulfonate fluoride(PFOSF)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Perfluorooctane sulfonate	1763-23-1	
Perfluorooctane sulfonate fluoride	307-35-7	
Lithium heptadecafluorooctanesulphonate	29457-72-5	
Potassium	2795-39-3	
Ammonium nonadecafluororononanesulphonate	17202-41-4	

1. Scope of application:

Intentionally added

<Exempted items>

Can be used if applicable to any of the following:

- (i) Photoresist or anti-mirror coating for photolithography process
- (ii) Photo coating applied to films, documents, or printing plates
- (iii) Inclusion of less than 0.1 % in the following specified metal plating until May, 2013
 - (a) Chromium electroplating, chromium anodizing and reverse etching
 - (b) Non-electrodeposited metallic precipitate nickel-polytetrafluoroethylene plating
 - (c) Etching of the plastic plate before hardened

1-16. Fluorinated greenhouse gases (PFC, SF6, HFC)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Carbon tetrafluoride (perfluoromethane)	75-73-0	Fluorinated greenhouse gases (PFC, SF6, HFC)
Perfluoroethane (hexafluoroethane)	76-16-4	
Perfluoropropane (octafluoropropane)	76-19-7	
Perfluorobutane (decafluorobutane)	355-25-9	
Perfluoropentane (dodecafluorobutane)	678-26-2	
Perfluorohexane (tetradecafluorohexane)	355-42-0	
Perfluorocyclobutane	115-25-3	
Sulfur hexafluoride (SF6)	2551-62-4	
Trifluoromethane - (HFC-23)	75-46-7	
Difluoromethane (HFC-32)	75-10-5	
Methyl fluoride- (HFC-41)	593-53-3	
2H,3H-Decafluoropentane (HFC-43-10mee)	138495-42-8	
Pentafluoroethane (HFC-125)	354-33-6	
1,1,2,2-Tetrafluoroethane (HFC-134)	359-35-3	
1,1,1,2-Tetrafluoroethane - (HFC-134a)	811-97-2	
1,1-Difluoroethane -(HFC-152a)	75-37-6	
1,1,2-Trifluoroethane -(HFC-143)	430-66-0	
1,1,1-Trifluoroethane -(HFC-143a)	420-46-2	
2H-Heptafluoropropane -(HFC-227ea)	431-89-0	
1,1,1,2,2,3-Hexafluoropropane (HFC-236cb)	677-56-5	
1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	431-63-0	
1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	690-39-1	
1,1,2,2,3-Pentafluoropropane (HFC-245ca)	679-86-7	
1,1,1,3,3-Pentafluoropropane (HFC-245fa)	460-73-1	
1,1,1,3,3-Pentafluorobutane (HFC-365mfc)	406-58-6	
Tetrafluoromethane (Perfluoromethane)	75-73-0	

Scope of application:

1. Intentionally added

1-17. 2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole

(Other name: Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)

Target chemical substances	CAS No.	Application or use
2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)-2H-benzotriazole	3846-71-7	Adhesive agents, paints, printing ink, plastics, ink ribbons, putties, caulking, filling materials (ultraviolet light)

Scope of application:

1. Intentionally added

Note : "Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)" indicated JIG is the same substance as "2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole" indicated in Chemical

1-18. Dimethyl fumarate (DMF)

Target chemical substances	CAS No.	Application or use
Dimethyl fumarate (DMF)	624-49-7	Moisture prevention agents, mildew-proofing agents

Scope of application:

1. Intentionally added

Note Other name: Fumaric acid dimethyl

1-19. Hexachlorobenzene

Target chemical substances	CAS No.	Application or use
Hexachlorobenzene	118-74-1	Sterilizer, mildew-proofing agents, Stain-proofing agent, Synthetic medium

Scope of application:

1. Intentionally added

1-20. Tri-substituted organostannic compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Bis(tri-n-butyltin) oxide (*S) (TBTO)	56-35-9	Coating materials, colorants, antiseptics, cooling medium, foaming agent
Triphenyl Tin=N, -dimethyldithiocarbamate	1803-12-9	Antibacterial and antifungal agents, paint, pigment
Triphenyltinfluoride	379-52-2	
Triphenyltinacetate	900-95-8	
Triphenyltinchloride	639-58-7	
Tributyltinacetate	56-36-0	
Bis(tributyltin)fumalate	6454-35-9	
Tributyltin laurate	3090-36-6	
Trioctyltin chloride	2587-76-0	
Trimethyltin hydroxide	994-32-1	
Trimethyltin chloride	994-31-0	

Scope of application:

If any of the following cases applies, the use of chemical substances is prohibited.

(1) Intentional use

(2) Inclusion of more than 1,000 ppm as impurity in packaging items

Note1: A tri-substituted organostannic compound refers to a tin compound that has three organic substituents, such as tributyltin (TBT) compounds and triphenyltin (TPT) compounds.

Note2: Concentration of tin mass after conversion into metal

1-21. Dibutyltin (DBT) compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Dibutyltin oxide	818-08-6	
Dibutyltin diacetate	1067-33-0	
Dibutyltin dilaurate	77-58-7	
Dibutyltin maleate	78-04-6	

Scope of application:

If the following case applies, the use of chemical substances is prohibited.

(1) Inclusion of more than 1,000 ppm in homogeneous materials

<Exemption>

The above compounds may be included up to June 30, 2014 if any of the following cases applies (deadline for placing on the EU market: December 31, 2014):

- (i) One-component and two-component room temperature vulcanisation sealants (RTV-1 and RTV-2 sealants) and adhesives
- (ii) Paints and coatings containing DBT compounds as catalysts when applied on articles
- (iii) Soft polyvinyl chloride (PVC) profiles whether by themselves or coextruded with hard PVC
- (iv) Fabrics coated with PVC containing DBT compounds as stabilisers when intended for outdoor applications
- (v) Outdoor rainwater pipes, gutters and fittings, as well as covering material for roofing and facades

Note: Concentration of tin mass after conversion into metal

1-22. Dioctyltin (DOT) compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Dioctyltin oxide	870-08-6	
Dioctyltin dilaurate	3648-18-8	

Scope of application:

If the following case applies, the use of chemical substances is prohibited.

(1) Inclusion of more than 1,000 ppm in homogeneous materials in the following items:

- (i) Textile and (natural and/or man-made) leather articles intended to come into contact with the skin

- (ii) Childcare articles

- (iii) Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

Note: Concentration of tin mass after conversion into metal

1-23. Perfluorooctanoic acid (PFOA) and its salts and PFOA-related substances | Added from Ver. 7

Target chemical substances	CAS No.	Application or use
Perfluorooctanoic acid (PFOA)	335-67-1	
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	
Sodium salt of Perfluorooctanoic acid	335-95-5	
Potassium salt of Perfluorooctanoic acid	2395-00-8	
Silver(1+) salt of Perfluorooctanoic acid	335-93-3	
Perfluoroctanoyl fluoride	335-66-0	
Methyl perfluorooctanoate	376-27-2	
Ethyl perfluorooctanoate	3108-24-5	

Scope of application:

If the following case applies, the use of chemical substances is prohibited.

The following standards shall apply to the items supplied to USHIO after February, 2020.

< Applications >

- (a) another substance, as a constituent
- (b) a mixture
- (c) an article

< Threshold Level >

- If any of the following cases applies, the use of chemical substances is prohibited.
- When more than 25ppb(0.025ppm) is contained in an article
- When more than 1,000ppb (1ppm) is contained in an article as the combined concentration with Perfluorooctanoic acid (PFOA) and its salts

< Exempted items >

- (1) PFOA and its salts equal to or below 1ppm(0,0001 % by weight) contained in polytetrafluoroethylene (PTFE) micropowders produced by ionising irradiation or by thermal degradation.
- (2) In principle, the following exempted uses shall be apply to the above standards from one year prior to the following exemption deadline.
 - (a) photolithography or etch processes in semiconductor manufacturing, until 4 July 2025;
 - (b) photographic coatings applied to films, until 4 July 2025;
 - (c) textiles for oil- and water-repellency for the protection of workers from dangerous liquids that comprise risks to their health and safety, until 4 July 2023;
 - (d) invasive and implantable medical devices, until 4 July 2025;
 - (e) manufacture of polytetrafluoroethylene (PTFE) and polyvinylidene fluoride (PVDF) for the production of: until 4 July 2023
 - (i) high-performance, corrosion-resistant gas filter membranes, water filter membranes and membranes for medical textiles;
 - (ii) industrial waste heat exchanger equipment,
 - (iii) industrial sealants capable of preventing leakage of volatile organic compounds and PM2.5 particulates.
 - (3) PFOA and its salts and/or PFOA-related compounds equal to or below 2ppm (0,0002 % by weight) contained in medical devices other than invasive devices and implantable devices.

Note) If it is included in the product even before the exclusion deadline, please contact us.

Reference laws and regulations: Norwegian laws and regulations, REACH regulation No. 2019/1021 and 2020/748/

Class I Specified Chemical Substances of the Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture(JP)

1-24. Tris phosphate(TCEP,TCPP,TDCPP)			Added from Ver. 7		
Target chemical substances	CAS No.	Application or use			
Tris(2-chloroethyl)phosphate(TCEP) (*S)	115-96-8	Flame retardants used in lastics, resins, fabrics, and textiles			
Tris(1-chloro-2-propyl)phosphate(TCPP)	13674-84-5				
Tris(1,3-dichloro-2-propyl)phosphate(TDCPP)	13674-87-8				
Scope of application: If the following case applies, the use of chemical substances is prohibited. (1) Inclusion of more than 1,000 ppm in homogeneous materials					
*Reference laws and regulations: United States. Vermont State. Act 85					
Reference laws and regulations: Flame retardants regulation of Vermont state in the United States					
1-25. Phthalate ester			Added from Ver. 7		
Target chemical substances	CAS No.	Application or use			
Bis (2-ethylhexyl) phthalate (DEHP) (*S)	117-81-7	Plasticizers, dyes,colorants, coating materials, inks,adhesives, choke coil,tube,trans			
Dibutylphthalate (DBP) (*S)	84-74-2				
Butyl benzyl phthalate (*S)	85-68-7				
Diisobutyl phthalate(DIBP) (*S)	84-69-5				
Scope of application: If both of the following cases applies, the use of chemical substances is prohibited. (1) Inclusion of more than 1,000 ppm in homogeneous materials (2) Parts for indoor. or Parts that may contact the skin or mucous membranes.					
Reference laws and regulations: Regulation of phthalates in Denmark, RoHS Directive 2011/65/EU, 2015/863/EU,REACH regulation No. 1907/2006 Annex XVII					
1-26. Hexabromocyclododecane(HBCDD)			Added from Ver. 7		
Examples (Typical examples of target chemical substances)	CAS No.	Application or use			
Hexabromocyclododecane (*S)	25637-99-4	Flame retardant, solder			
	4736-49-6				
	65701-47-5				
	138257-17-7				
	138257-18-8				
	138257-19-9				
	169102-57-2				
	678970-15-5				
	678970-16-6				
	678970-17-7				
1,2,5,6,9,10-hexabromocyclododecane (HBCD) (*S)	3194-55-6				
α -hexabromocyclododecane (*S)	134237-50-6				
β -hexabromocyclododecane (*S)	134237-51-7				
γ -hexabromocyclododecane (*S)	134237-52-8				
Scope of application: If the following case applies, the use of chemical substances is prohibited. (1) Intentionally added (2) Inclusion of more than 100 ppm in article					
Reference laws and regulations: POPs Regulation (Stockholm Convention on Persistent Organic Pollutants), Class I Specified Chemical Substances of the Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, REACH regulation No. 2019/1021etc.					

1-27. Polycyclic aromatic hydrocarbon (PAH)			Added from Ver. 8		
Target chemical substances	CAS No.	Application or use			
Benzo[a]pyrene (BaP)	50-32-8	Pigments contained in rubber, plasticizers and plastics (adulterants)			
Benzo[e]pyrene (BeP)	192-97-2	- Sporting goods such as bicycles, golf clubs and racquets			
Benzo[a]anthracene (BaA)	56-55-3	- Home-use products, trolleys (home-use wagons), walkers			
Chrysene (CHR)	218-01-9	- Home-use tools			
Benzo[b]fluoranthene (BbFA)	205-99-2	- Clothing, shoes, gloves and sportswear			
Benzo[j]fluoranthene (BjFA)	205-82-3	- Watch straps, wristbands, masks, hair bands			
Benzo[k]fluoranthene (BkFA)	207-08-9				
Dibenz[a,j]anthracene (DBAhA)	53-70-3				
Scope of application—Not to be used if applicable to any of the following:					
- REACH target					
1. Content that exceeds 1 ppm in molded products supplied to the general public such as rubber or plastic component parts with direct contact and long-term or repeated short-term contact with human skin or mouth					
2. Content that exceeds 0.5 ppm in toys, including intellectual training toys, as well as nursery items such as rubber or plastic component parts with direct contact and long-term or repeated short-term contact with human skin or mouth					
Reference laws and regulations: REACH regulation No. 1907/2006 Annex XVII Market launch and usage restriction; German GS certification					

1-28. Phenol, Isopropylated Phosphate PIP(3:1)			Added from Ver. 10		
Target chemical substances	CAS No.	Application or use			
Phenol, Isopropylated Phosphate PIP(3:1)	68937-41-7	Flame retardant, Plasticizers, Glue			
Scope of application—					
(1) All: Prohibition of inclusion (Start of regulation: 1.Nov.2024)					
(2) Encapsulants and adhesives (Start of regulation: 6.Jan.2025)					
Note) If it is included in the product even before the exclusion deadline, please contact us.					
Applications exempted					
(1) Hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements					
(2) Lubricants and greases					
(3) New and replacement parts for the automotive and aerospace industry					
(4) An intermediate in a closed system to produce cyanoacrylate adhesives					
(5) Specialized engine filters for locomotive and marine applications					
(6) Adhesives and sealants, until January 6, 2025					
Reference laws and regulations: TSCA PBT Rules(US)					

1-29. Pentachlorothiophenol (PCTP)			Added from Ver. 10		
Target chemical substances	CAS No.	Application or use			
Pentachlorothiophenol (PCTP)	133-49-3	Rubber kneading accelerator			
Scope of application— All					
- Prohibition of inclusion					
Reference laws and regulations: TSCA PBT Rules(US)					

1-30. Hexachlorobutadiene (HCBD)	Added from Ver. 10		
Target chemical substances	CAS No.	Application or use	
Hexachlorobutadiene (HCBD)	87-68-3	Solvents, pesticides, heat transfer.	
Scope of application—All - Prohibition of inclusion			
Reference laws and regulations: TSCA PBT Rules(US), POPs Regulation (Stockholm Convention),			
1-31. 2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	Added from Ver. 10		
Target chemical substances	CAS No.	Application or use	
2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	732-26-3	Oil, lubricants	
Scope of application—All - Prohibition of inclusion			
Reference laws and regulations: TSCA PBT Rules(US)			
1-32. 9-C14 PFCAs, their salts and C9-C14 PFCA-related substances	Added from Ver. 10		
Target chemical substances	CAS No.	Application or use	
Perfluorononanoic acid(PFNA:C9 PFCA)	375-95-1	Extinguishing agent, Water repellent, Surface-active agent, Anti-rust, etching solution, Antireflection coating, Photoresist, Plating solution, Activator, coating, Solder, Lubricant, adhesive, Surface treating, Paint, Resin additive (fluororesin)	
Perfluorodecanoic acid(PFDA:C10 PFCA)	335-76-2		
Perfluoroundecanoic acid(PFUnDA:C11 PFCA)	2058-94-8		
Perfluorododecanoic acid(PFDaDA:C12 PFCA)	307-55-1		
Perfluorotridecanoic acid(PFTrDA:C13 PFCA)	72629-94-8		
Perfluorotetradecanoic acid(PFTDA:C14 PFCA)	376-06-7		
Sodium prefluorononanoate	21049-39-8		
Ammonium perfluorononanoate	4149-60-4		
Sodium perfluorodecanoate	3830-45-3		
Ammonium nonadecafluorodecanoate	3108-42-7		
Scope of application—Not to be used if applicable to any of the following: • 0.0000025% by weight (25 ppb) for the sum of C9-C14 PFCAs and their salts in a mixture or an article • 0.000026% by weight (260ppb) for the sum of C9-C14 PFCA-related substances in a mixture or an article Note) In principle, delivery of contained product is prohibited even before the prohibition deadline. If there are any contained products, please contact us.			
Applications exempted			
① (1) Semiconductors on their own; December 31, 2023 (2) Semiconductors incorporated in semi-finished and finished electronic equipment; December 31, 2023 (3) Photolithography or etch processes in semiconductor manufacturing; July 4, 2025 (4) Photographic coatings applied to films; July 4, 2025 (5) Invasive and implantable medical devices; July 4, 2025 (6) fire-fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems, including both mobile and fixed systems, subject to the following conditions; July 4, 2025 (7) semiconductors used in spare or replacement parts for finished electronic equipment placed on the market before 31 December 2023; December 31, 2030			
② For the sum of C9-C14 PFCAs in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups; (1) Containing less than 2,000 ppb (0.0002% by weight) ; Until August 25,2024 (2) Containing less than 100 ppb (0.00001% by weight) ; From August 25,2024 ③ Polytetrafluoroethylene (PTFE) micro powders produced by ionising irradiation or by thermal degradation containing less than 1,000 ppb for the sum of C9-C14 PFCAs; Review this derogation no later than 25 August 2024.			
Reference laws and regulations: REACH regulation (EC No. 2017/2006) Annex XVII (EU 2021/1297)			

1-33. Perfluorohexanesul phonic acid (PFHxS), its salts and PFHxS-related substances	Added from Ver. 11															
<table border="1"> <thead> <tr> <th>Target chemical substances</th><th>CAS No.</th><th>Application or use</th></tr> </thead> <tbody> <tr> <td>Perfluorohexane-1-sulphonic acid</td><td>355-46-4</td><td rowspan="4">foam extinguishing agent, metal plating, textiles, leather goods and upholstery, abrasives and cleaners, coatings, impregnations/reinforcing agents, Manufacture of electronic equipment and semiconductors, etc.</td></tr> <tr> <td>1- Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, sodium salt</td><td>82382-12-5</td></tr> <tr> <td>potassium perfluorohexane-1-sulphonate</td><td>3871-99-6</td></tr> <tr> <td>1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, lithium salt (1:1)</td><td>55120-77-9</td></tr> <tr> <td>Ammonium perfluorohexane-1-sulphonate</td><td>68259-08-5</td><td></td></tr> </tbody> </table>	Target chemical substances	CAS No.	Application or use	Perfluorohexane-1-sulphonic acid	355-46-4	foam extinguishing agent, metal plating, textiles, leather goods and upholstery, abrasives and cleaners, coatings, impregnations/reinforcing agents, Manufacture of electronic equipment and semiconductors, etc.	1- Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, sodium salt	82382-12-5	potassium perfluorohexane-1-sulphonate	3871-99-6	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, lithium salt (1:1)	55120-77-9	Ammonium perfluorohexane-1-sulphonate	68259-08-5		
Target chemical substances	CAS No.	Application or use														
Perfluorohexane-1-sulphonic acid	355-46-4	foam extinguishing agent, metal plating, textiles, leather goods and upholstery, abrasives and cleaners, coatings, impregnations/reinforcing agents, Manufacture of electronic equipment and semiconductors, etc.														
1- Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, sodium salt	82382-12-5															
potassium perfluorohexane-1-sulphonate	3871-99-6															
1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6 -tridecafluoro-, lithium salt (1:1)	55120-77-9															
Ammonium perfluorohexane-1-sulphonate	68259-08-5															
Scope of application—All																
- Prohibition of inclusion																
Reference laws and regulations: POPs Regulation (Stockholm Convention)																
1-34. Mineral oil aromatic hydrocarbons (MOAH) Mineral oil saturated hydrocarbons (MOSH)	Added from Ver. 11															
<table border="1"> <thead> <tr> <th>Target chemical substances</th><th>CAS No.</th><th>Application or use</th></tr> </thead> <tbody> <tr> <td>Mineral oil aromatic Hydrocarbons (MOAH)</td><td>— (※)</td><td rowspan="2">ink</td></tr> <tr> <td>Mineral oil saturated hydrocarbons (MOSH) comprising 16 to 35 aromatic rings</td><td>— (※)</td></tr> </tbody> </table>	Target chemical substances	CAS No.	Application or use	Mineral oil aromatic Hydrocarbons (MOAH)	— (※)	ink	Mineral oil saturated hydrocarbons (MOSH) comprising 16 to 35 aromatic rings	— (※)								
Target chemical substances	CAS No.	Application or use														
Mineral oil aromatic Hydrocarbons (MOAH)	— (※)	ink														
Mineral oil saturated hydrocarbons (MOSH) comprising 16 to 35 aromatic rings	— (※)															
Scope of application—Ink of Packaging, Printed matter																
-Mineral oil aromatic hydrocarbons(MOAH) comprising 1 to 7 aromatic rings : 0.1 by weights (1,000ppm) in ink																
-Mineral oil aromatic hydrocarbons(MOAH) comprising 3 to 7 aromatic rings : 0.0001 by weights (1ppm) in ink																
- Mineral Oil Saturated Hydrocarbons (MOSH) comprising 16 to 35 aromatic rings : 0.1 by weights (1,000ppm) in ink																
※ CAS number not specified.																
Reference laws and regulations : French Circular Economy Law																
1-35. DECHLORANE PLUS	Added from Ver. 12															
<table border="1"> <thead> <tr> <th>Target chemical substances</th><th>CAS No.</th><th>Application or use</th></tr> </thead> <tbody> <tr> <td>DECHLORANE PLUS</td><td>13560-89-9</td><td rowspan="3">Flame retardant</td></tr> <tr> <td>DECHLORANE PLUS ANTI</td><td>135821-74-8</td></tr> <tr> <td>DECHLORANE PLUS SYN</td><td>135821-03-3</td></tr> </tbody> </table>	Target chemical substances	CAS No.	Application or use	DECHLORANE PLUS	13560-89-9	Flame retardant	DECHLORANE PLUS ANTI	135821-74-8	DECHLORANE PLUS SYN	135821-03-3						
Target chemical substances	CAS No.	Application or use														
DECHLORANE PLUS	13560-89-9	Flame retardant														
DECHLORANE PLUS ANTI	135821-74-8															
DECHLORANE PLUS SYN	135821-03-3															
Scope of application—All																
- Prohibition of inclusion																
Prohibited delivery period: January 2025.																
Note) This may change due to the promulgation of laws and regulations in the EU, etc.																
If it is reported that the substance is contained, we will discuss it individually.																
Reference laws and regulations: POPs Regulation (Stockholm Convention)																

1-36. 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)		Added from Ver. 12	
Target chemical substances	CAS No.	Application or use	
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	Ultraviolet adsorber	
Scope of application—All - Prohibition of inclusion			
Prohibited delivery period: January 2025 Note) This may change due to the promulgation of laws and regulations in the EU, etc. If it is reported that the substance is contained, we will discuss it individually.			
Reference laws and regulations: POPs Regulation (Stockholm Convention)			
1-37. Medium chain chlorinated paraffins (MCCP) [with carbon chain lengths in the range C14–17 and chlorination levels at or exceeding 45 per cent chlorine by weight]		Added from Ver. 13	
Representative examples of target chemical substances	CAS No.	Application or use	
Chloroalkanes(C=14-17)	85535-85-9	Flame retardants, Plasticizers, Metal processing oils	
Chloroalkanes(C=16-35)	85049-26-9		
Chloroalkanes	61788-76-9		
Scope of application—All - Prohibition of inclusion			
Reference laws and regulations: POPs Regulation (Stockholm Convention)			
1-38. C9-C21 Long-chain perfluorocarboxylic acids (LC-PFCA), its salts and related compounds		Added from Ver. 13	
Representative examples of target chemical substances	CAS No.	Application or use	
Perfluoropentadecanoic acid	141074-63-7	Fluoropolymer processing aid, Heat transfer medium	
Perfluorohexadecanoic acid	67905-19-5		
Perfluoroheptadecanoic acid	57475-95-3		
Perfluorooctadecanoic acid	16517-11-6		
Perfluorononadecanoic acid	133921-38-7		
Perfluoroeicosanoic acid	68310-12-3		
Scope of application—All - Prohibition of inclusion			
Reference laws and regulations: POPs Regulation (Stockholm Convention)			

Table 2 Level 2 Controlled Substances

2-1. Antimony and Antimony Compounds		
Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Antimony	7440-36-0	Colorants, coating materials, flame retardant, flame retardant aid, stabilizers
Antimony trichloride	10025-91-9	
Antimony trioxide	1309-64-4	
Antimony pentoxide	1314-60-9	
Sodium antimonate	15432-85-6	
Scope of application:		
1. Content that exceeds 1000ppm		

2-2. Arsenic and Arsenic Compounds		
Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Arsenic	7440-38-2	Semiconductor basal plate, glass antifoaming agent, colorants, coating materials, flame retardant
Gallium arsenide	1303-00-0	
Arsenic pentoxide (*S)	1303-28-2	
Arsenic trioxide (*S)	1327-53-3	
Triethyl arsenate (*S)	15606-95-8	
Scope of application:		
1. Content that exceeds 1000ppm		

2-3. Beryllium and Beryllium Compounds		
Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Beryllium	7440-41-7	Metal alloys, ceramic materials
Beryllium oxide	1304-56-9	
Scope of application:		
1. Content that exceeds 1000ppm		

2-4. Bismuth and Bismuth Compounds		
Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Bismuth	7440-69-9	Semiconductors, metal alloys, solder materials
Bismuth trioxide	1304-76-3	
Bismuth nitrate	10361-44-1	
Scope of application:		
1. Content that exceeds 1000ppm		

2-5. Nickel and Nickel Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Nickel	7440-02-0	Colorants, batteries, surface treatment, electrodes, nickel coatings, metal alloys
Nickel (II) oxide	1313-99-1	
Nickel (II) carbonate	3333-67-3	
Nickel (II) sulfate	7786-81-4	

Scope of application:

1. Content that exceeds 1000ppm, except for metal alloys (e.g. stainless, etc.)

2-6. Selenium and Selenium Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Selenium	7782-49-2	Photo conductor, pigments, glass coloring agents, semiconductors, photocells
Selenious acid	7783-00-8	

Scope of application:

1. Content that exceeds 1000ppm

2-7. Brominated Flame Retardants

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
3,5,3',5'-tetrabromobisphenol A (TBBPA)	79-94-7	Flame retardant
TBBA- (2,3-dibromopropyl ether)	21850-44-2	
TBBA Bis-(2-hydroxyethyl ether)	4162-45-2	
2,3-dibromopropanol	96-13-9	
Decabromodiphenylmethane	84852-53-9	

Scope of application:

1. Content that exceeds 1000ppm; however, this condition does not apply to polybrominated biphenyls (PBBs) and polybrominated diphenyl ethers (PBDEs), which are restricted substances.

2-8. Phthalate ester

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Dibutylphthalate (DBP) (*S)	84-74-2	Plasticizers, dyes, colorants, coating materials, inks, adhesives, choke coil, tube, trans
Bis (2-ethylhexyl) phthalate (DEHP) (*S)	117-81-7	
Butyl benzyl phthalate (*S)	85-68-7	
Diisononyl phthalate	28553-12-0 68515-48-0	
Diisodecyl phthalate	26761-40-0 68515-49-1	
Di-n-octyl phthalate (DNOP)	117-84-0	
Diisobutyl phthalate (DIBP) (*S)	84-69-5	

Scope of application:

1. Content that exceeds 1000ppm

Resin comprised mainly of phthalate ester is not included as phthalate ester (e.g. aromatic polyester, etc.)

2-9. Radioactive substances

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Uranium	—	Optical glass and lenses, scintillation counter
Plutonium	—	
Thorium	—	
Cesium	7440-46-2	
Strontium	7440-24-6	
Scope of application:		
1. Content that exceeds 1000ppm		

2-10. Magnesium and Magnesium Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Magnesium	7439-95-4	Metal alloys, optical materials, optical thin film material, structural material, aluminum alloy(duralumin), magnesium alloys, fatty acid salt	
Magnesium oxide	1309-48-4		
Other Copper Compounds	—		
Scope of application:			
1. Content that exceeds 1000ppm			

2-11. Copper and Copper Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Copper	7440-50-8	Lead wire, Terminal, Alloy such as brass	
Other Copper Compounds	—		
Scope of application:			
1. Content that exceeds 1000ppm			

2-12. Gold and Gold Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Gold	7440-57-5	Plating	
Other Gold Compounds	—		
Scope of application:			
1. Content that exceeds 1000ppm			

2-13. Palladium and Palladium Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use	
Palladium	7440-05-3	Electronic parts	
Other Palladium Compounds	—		
Scope of application:			
1. Content that exceeds 1000ppm			

2-14. Silver and Silver Compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Silver	7440-22-4	Solder,Plating
Other Silver Compounds	—	

Scope of application:

1. Content that exceeds 1000ppm

2-15. Perchlorates

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Lithium perchlorate	7791-03-9	Coin-cell batteries

Scope of application:

1. Content that exceeds 0.006ppm

2-16. Anthracene

Target chemical substances	CAS No.	Application or use
Anthracene (*S)	120-12-7	Fireworks raw material, Anthraquinone raw material (inferiority), Carbon black raw material, Wood preservation,mothballs

Scope of application:

1. Content that exceeds 1000ppm

2-17. Cobalt chloride (CoCl₂)

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Cobalt chloride or Cobalt(II) dichloride (*S)	7646-79-9	Desiccant indicator
Cobalt(II) chloride hexahydrate	7791-13-1	
Cobalt(III) chloride	10241-04-0	
Cobalt chloride	34240-80-7	

Scope of application:

1. The substance is contained as an indicator in a drying agent.

2-18. 5-tert-butyl-2,4,6-trinitro-m-xylene(musk xylene)

Target chemical substances	CAS No.	Application or use
5-tert-butyl-2,4,6-trinitro-m-xylene (*S) (musk xylene)	81-15-2	Fragrant materials

Scope of application:

1. Content that exceeds 1000ppm

2-19. Anthracene oil

Target chemical substances	CAS No.	Application or use
Anthracene oil (*S)	90640-80-5	The substances are mainly used in the manufacture of other substances such as anthracene and carbon black. They may also be used as reducing agents in blast furnaces, as components in bunker fuel, for impregnating, sealing and corrosion protection.
Anthracene oil, anthracene paste, distn. lights (*S)	91995-17-4	
Anthracene oil, anthracene paste, anthracene fraction (*S)	91995-15-2	
Anthracene oil, anthracene-low (*S)	90640-82-7	
Anthracene oil, anthracene paste (*S)	90640-81-6	

Scope of application:

1. Content that exceeds 1000ppm

2-20. Coal tar pitch, high temperature

Target chemical substances	CAS No.	Application or use
Coal tar pitch, high temperature (*S)	65996-93-2	Pitch, coal tar, high temp. is mainly used in the production of electrodes for industrial applications. Smaller volumes are dedicated to specific uses such as heavy duty corrosion protection, special purpose paving, manufacture of other substances and the production of clay targets.

Scope of application:

1. Content that exceeds 1000ppm

2-21. Refractory Ceramic Fibres

Target chemical substances	JAMP SN*	Application or use
Aluminosilicate, Refractory Ceramic Fibres (*S)	JAMP-SN0007	Refractory ceramic fibres are used for high-temperature insulation, almost exclusively in industrial applications (insulation of industrial furnaces and equipment, equipment for the automotive and aircraft/aerospace industry) and in fire protection (buildings and industrial process equipment).
Zirconia Aluminosilicate, Refractory Ceramic Fibres (*S)	JAMP-SN0055	

Scope of application:

1. Content that exceeds 1000ppm

Note:

(a) Aluminosilicate, Refractory Ceramic Fibres

Al₂O₃ and SiO₂ are present within the following concentration ranges:

- Al₂O₃: 43.5 - 47 % w/w, and SiO₂: 49.5 – 53.5 % w/w, or
- Al₂O₃: 45.5 – 50.5 % w/w, and SiO₂: 48.5 – 54 % w/w

(b) Zirconia Aluminosilicate, Refractory Ceramic Fibres

Al₂O₃, SiO₂ and ZrO₂ are present within the following concentration ranges:

- Al₂O₃: 35 - 36 % w/w, SiO₂: 47.5 – 50 % w/w, and ZrO₂: 15 – 17 % w/w

(c) Fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm)

*JAMP SN(Substance Number) is substituted because there is no CAS number in this chemical.

2-22. 2,4-Dinitrotoluene

Target chemical substances	CAS No.	Application or use
2,4-Dinitrotoluene (*S)	121-14-2	2,4-dinitrotoluene is used in the production of toluene diisocyanate, which is used for the manufacture of flexible polyurethane foams. The substance is also used as gelatinizing-plasticizing agent for the manufacture of explosives.
Scope of application:		
1. Content that exceeds 1000ppm		

2-23. Lead chromate molybdate sulphate red (C.I. Pigment Red 104)

Target chemical substances	CAS No.	Application or use
Lead chromate molybdate sulphate red (*S) (C.I. Pigment Red 104)	12656-85-8	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) is used as a colouring, painting and coating agent in sectors such as the rubber, plastic and paints, coatings and varnishes industries. Applications comprise the production of agricultural equipment, vehicles and aircraft as well as road and airstrip painting.
Scope of application:		
1. Content that exceeds 1000ppm		

2-24. Lead sulfochromate yellow (C.I. Pigment Yellow 34)

Target chemical substances	CAS No.	Application or use
Lead sulfochromate yellow (*S) (C.I. Pigment Yellow 34)	1344-37-2	Lead sulfochromate yellow (C.I. Pigment Yellow 34) is used as a colouring, painting and coating agent in sectors such as the rubber, plastic and paints, coatings and varnishes industries. Applications comprise the production of agricultural equipment, vehicles and aircraft as well as road and airstrip painting. The substance is further used for camouflage or ammunition marking in the defence area.
Scope of application:		
1. Content that exceeds 1000ppm		

2-25. Cyanide compounds

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Barium cyanide	542-62-1	
Barium tetracyanoplatinate	562-81-2	
Cyanogen bromide	506-68-3	
Calcium cyanide	592-01-8	
Copper (I) cyanide	544-92-3	
Copper (II) cyanide	14763-77-0	
Copper cyanide	4367-08-2	
Hydrogen cyanide	74-90-8	
Lead(II) dicyanide	592-05-2	
Mercury dicyanide	592-04-1	
Nickel cyanide	557-19-7	
Potassium cyanide	151-50-8	
Potassium dicyanoaurate	13967-50-5	
Potassium cobalt cyanide	13963-58-1	
Potassium dicyanocuprate	13682-73-0	
Dipotassium tetracyano mercurate	591-89-9	
Potassium nickel cyanide	39049-81-5	
Silver cyanide	506-64-9	
Sodium cyanide	143-33-9	
Sodium copper cyanide	14264-31-4	
Zinc cyanide	557-21-1	
Scope of application:		
1. Intentionally added		

2-26. Pentachlorophenol

Target chemical substances	CAS No.	Application or use
Pentachlorophenol	87-86-5	Insecticide, general agricultural chemicals, (The medium is included.)
Scope of application:		
1. Intentionally added		

2-27. Benzene

Target chemical substances	CAS No.	Application or use
Benzene	71-43-2	Solvent, cleaning agent, synthetic medium
Scope of application:		
1. Intentionally added		

2-28. 1,1,2-Trichloroethane

Target chemical substances	CAS No.	Application or use
1,1,2-Trichloroethane	79-00-5	Solvent, cleaning agent, lubricant, synthesis medium, fat and oil, wax

Scope of application:

1. Intentionally added

2-29. Mirex

Added from Ver. 7

Target chemical substances	CAS No.	Application or use
Mirex	2385-85-5	Insecticide, Insect repellent

Scope of application:

1. Intentionally added

Reference laws and regulations: POPs Regulation (Stockholm Convention on Persistent Organic Pollutants), Class I Specified Chemical Substances of the Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

2-30. Chlorinated flame retardants

Added from Ver. 7

Examples (Typical examples of target chemical substances)	CAS No.	Application or use
Tetrakis(2-chloroethyl)dichloroisopentyldiphosphate	38051-10-4	Frame retardants
Tris(1-chloro-2-propyl)phosphate	13674-84-5	
Tris(2,3-dichloro-1-propyl)phosphate	66108-37-0	
Other Chlorinated flame retardants	-	

Scope of application:

1. Intentionally added

Reference laws and regulations: U.S. Industry Standard JS709 (Low halogen definition)

2-31. Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)

Added from Ver. 8

Target chemical substances	CAS No.	Application or use
Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST)	68921-45-9	Rubber and lubricant additives (antioxidants), lubricants, grease, etc.

Scope of application:

1. Intentionally added

<Exempted items>

Can be used if applicable to any of the following conditions:

- Additives for rubber except tires

Reference laws and regulations: Canada's Prohibition of Certain Toxic Substances Regulations 2012 SOR/2012-285 (Canadian Environmental Protection Act 1999)

2-32 .Per- and polyfluoroalkyl substances (PFAS)

Added from Ver.11

Target chemical substances	CAS No.	Application or use
1,1,2-trichloro-1,2,2-trifluoroethane	76-13-1	Water repellent, Extinguishing agent, Surface coating, Lubricant
Perfluorobutanesulfonyl fluoride	375-72-4	

Scope of application— All

Reference laws and regulations: LD1503 Maine, U.S.A.

2-33. Long-chain perfluoroalkyl carboxylate (LCPFACs) and perfluoroalkyl sulfonate chemicals

Target chemical substances	CAS No.	Application or use
Perfluoroctyl iodide	507-63-1	Fire extinguishing agents, water repellents, surfactants, rust inhibitors,
1H,1H,2H,2H-Perfluoro-1-decanol	678-39-7	antireflection film, plating solution, etching solution,
1,1,2,2-Tetrahydroperfluoro dodecanol	865-86-1	
Scope of application— All		
Reference laws and regulations: US TSCA PBT rules		

Note: For “level **2** Controlled Substances”, please report if the content even contain less than 1000ppm is known.

Note: Please confirm the Chemical Substance for SVHC of REACH regulation with ECHA (European Chemicals Agency) or CMP (Chemical and circular Management Platform).

ECHA: Candidate list of SVHC http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp

CMP: Declarable Substances Reference List <https://cmp-consortium.com/chemsherpa/tool#declarable>

Table 1-2

Control Value : The content concentration that cannot be exceeded unless the chemical substance is intentionally used or mixed in as well as the concentration level that needs to be controlled by USHIO and its suppliers

When the content concentration as impurities of prohibited substances exceeds the control value, USHIO will request reanalysis, an explanation of the reason and reduction in content concentration to a level below the control value.

Control Value										Threshold Value Ref. Table 1-1
	1) Plastic resin (including rubber, film)	2) Coating materials, inks, pigments, dyes	3) Lead-free solders, (bar solder, wire solder, resin flux-cored solder) except flow soldering section	4) Flow soldering (solder flow bath)	5) Electroless nickel plating	6) Metal materials other than lead-free solder.	7) Chromated parts and materials	8) Polyvinyl chloride (PVC) undercoating	9) Materials other than those mentioned	All materials
Cadmium and Cadmium Compounds	20 ppm	20 ppm	20 ppm	20 ppm	-	-	-	-	75 ppm	75 ppm
Hexavalent Chromium Compounds	-	-	-	-	-	-	100 ppm	-	1000 ppm	1000 ppm
Lead and Lead Compounds	100 ppm	100 ppm	500 ppm	800 ppm	800 ppm	500 ppm	-	300ppm	1000 ppm	1000 ppm (except 1), 2), and 8), which are 300ppm)
Mercury and Mercury Compounds	-	-	-	-	-	-	-	-	1000 ppm	1000 ppm
Polybrominated Biphenyls (PBBs)	100 ppm	-	-	-	-	-	-	-	1000 ppm	1000 ppm
Polybrominated Diphenyl ethers (PBDEs)	100 ppm	-	-	-	-	-	-	-	1000 ppm	1000 ppm

- Packaging materials: Not permitted when the gross weight of cadmium, mercury, hexavalent and lead exceeds 1000ppm
- Refer to Table 1-1 “Use of Level 1 Prohibited Substances” for exempted items.
- For “-”, chemical substances are to be controlled according to the threshold value.